

# FVE 100

Video borescope for inspection and survey of inaccessible spaces.



- Water proof camera head and probe
- 1m long flexible gooseneck probe with camera head for the optical inspection of inaccessible spaces
- Camera head with LED lighting
- Immediate transfer of the colour image to the large LCD display
- 180° image rotation at the press of a button
- Direct transfer of image to television or notebook
- Accessories:
  - Hook and magnet attachments for object retrieval
  - Angle mirror attachment to view around corners
  - Powerful Li-Ion battery

TECHNICAL DATA	
Camera head	
Viewable angle	0° and 180°
Focal length	6 - 7 cm
Viewable distance	5 - 15 cm
Diameter of camera head	17 mm
Light source	LED
Display	
Display size	3"
Resolution	960 x 240 Pixel
Image transmission to LCD	Flexible gooseneck
CMOS Image sensor	300.000 Pixel
Video output (to TV)	PAL / NTSC
Various	
Probe length	100 cm
Bend radius of probe	6 cm
Dust/water protection probe and camera	IP 67
Power supply	3,7V / 2000 mAh Li-Ion
Operating time	4 h
Temperature range	10 °C - + 50 °C
Humidity range	15 - 85 % RH
Dimensions	240 x 160 x 100 mm
Weight with probe	0,584 kg

SUPPLIED WITH	
Video borescope, 1 m flexible gooseneck probe, TV cable, USB cable, charger, magnet, hook and mirror attachment, container	